Theoretical Model of the Tropospheric Pressure Variation on the Height

Raul C. Perez

LIHANDO. CEDS, Dpto de Materias Básicas, Facultad Regional Mendoza, Universidad Tecnológica Nacional, Rodriguez 276, Mendoza 5570, Argentina

Abstract: In the study and the research of the troposphere, the knowledge about its pressure variation on the height is necessary and important. Of course, exist the sounding to make this work, but not always it is possible to access to sounding data when is necessary, so then, it is important to has others alternatives methods in order to replace it. The troposphere is basically a fluid, susceptible to be studied under the fluid mechanics and thermodynamics of the ideals gases without loss generalities. So, it is possible to study of the atmospheric air like as a continuous perfect gas. These facts are important questions to study the troposphere under the laws and beginning Physics, using its respective equations, in order to get a theoretical model to simulate the behavior of its thermodynamics variables and parameters. Working on this line, it was developed a model in order to simulate the tropospheric pressure variation on the height from its measure on surface data.

Key words: Atmospherics pressure, tropospheric pressure.

1. Introduction

It is possible to study a V volume to atmospheric air like as a moist ideal gas, without loss generality. More specifically, the atmospheric air can be considered as a combination between two ideal gases: the dry atmospheric air and the water vapor.

Under this conception, pressure p into the V volume, it will be equal at the sum of the partial pressure of the p_a of the dry air and the vapor pressure e .

$$p = p_a + e \quad (1)$$

The dry atmospheric air has an equivalent equation of the ideal gases, whose expression is:

$$p_a V = \eta R T \quad (2)$$

where, η is the number mol of the dry atmospheric air and R is the gases universal constant to dry atmospheric air, whose value is: $8.3143 \text{ Joule.K}^{-1}.\text{mol}$.

So, the equation of vapor pressure is:

$$e = \rho_v R_v T \quad (3)$$

$R_v = 461 \text{ Joule/kg.K}$ is the vapor water constant; and ρ_v is the vapor water density value.

Corresponding author: Raul Cesar Perez, Ph.D., physicist, research fields: earth, sea and atmospherics science.

2. Tropospheric Pressure

If the atmospheric air can be considerate like as an almost stable perfect gas, thinking in its state of an infinitesimal instant; it can be possible to study the tropospheric pressure in a static situation.

So, a theoretical model about the behavior of the tropospheric pressure at different height can be developed.

2.1 Variation of the Tropospheric Pressure on the Height

Under the supposition planted about to consider the atmospheric air as a perfect gas, it is possible to obtain a good approximation of the relation between the atmospheric air pressure and its height on the sea level.

For the fundamental law of the fluids mechanics, the pressure variation on the height is shown in Ref. [1]:

$$\frac{dP}{dy} = -\rho g \quad (4)$$

where, for the universal equation of the ideal gases,

the density is proportional to pressure to any height for the relation:

$$\frac{\rho}{\rho_0} = \frac{P}{P_0} \quad (5)$$

Into Eq. (5) ρ_0 and P_0 are the density and pressure on surface corresponding. Combining Eqs. (4) and (5), it is obtained:

$$\frac{dP}{dy} = -\rho_0 g \frac{P}{P_0} \quad (6)$$

Rearranging the terms, Eq. (6) is becoming in:

$$\frac{dP}{P} = -\frac{g\rho_0}{P_0} dy \quad (7)$$

Integrating Eq. (7), from the pressure on surface value p_0 at the height y_0 to the pressure value p at a determinate height y , and it is obtained:

$$\int_{p_0}^p \frac{dP}{P} = - \int_{y_0}^y \frac{g\rho_0}{P_0} dy \quad (8)$$

Solving the integral, we get the solution:

$$p = p_0 e^{-(g\rho_0/p_0)y} \quad (9)$$

Using the standard value to seal level:

$\rho_0 = 1.21 \text{ kg/m}^3$, $p_0 = 1.01 \times 10^5 \text{ Pa}$. And taken the gravity acceleration value as $g = 9.8 \text{ m/s}^2$, we obtain:

$$p = p_0 e^{-(0.117/Km)y} \quad (10)$$

The pressure variation on the height presents an exponential decay as shown in Eq. (10) and Fig. 1.

Fig. 1 shows the very good correlation between the theoretical function Eq. (10) and the experimental data obtained to sounding.

It is possible to appreciate, when Table 1 is observed that atmospheric pressure value obtained from the model is very accurate until 3,000 meters. Above this height, the results present a difference with a ten percent of error approximately.

One of the factors that influences the difference between theoretical and experimental value, is that it has been considered the gravity acceleration value as constant equal at 9.8 meters for squad second. Then, in order to have results with greater precision, it will be better to consider gravity acceleration value as variable with the height.

2.2 Theoretical Variation of the Gravity Acceleration g on the Height

Isaac Newton had mathematically expressed into two forms for the phenomena of the gravitational attraction that perform the Earth on the bodies.

The first form is through the application of the Newton's second law. It is known that the force attracts at the center Earths called weight respond at the equation:

$$P = mg \quad (11)$$

where, m is the mass of the volume V of the atmospheric air studied.

The other form is under the postulation of the Universal Gravitation law, whose equation is:

$$F = G \frac{m_1 m_2}{r^2} \quad (12)$$

where, $G = 6.673 \times 10^{-11} \text{ N.m}^2.\text{Kg}^{-2}$ is the universal gravitation constant and r the distance between both mass.

Considering at m_1 the Earth mass $M_T = 5.972 \times 10^{24} \text{ Kg}$ and m_2 the at the m mass of the atmospheric air volume.

Combining Eqs. (11) and (12), and rearranging therm, the next equation is obtained:

$$g = \frac{G.M_t}{(6.32 \times 10^6 m + y)^2} \quad (13)$$

$$= \frac{3.9851 \times 10^{14}}{(6.32 \times 10^6 m + y)^2}$$

where, y is the vertical distance from the land surface to height to which wants to calculate the gravity acceleration value; and 6.32×10^6 meter corresponds at the average radio of the Earth.

Eq. (13) is the mathematical expression of the gravity acceleration variation on the height respect to a reference system with its origin is in the Earth center.

Replacing this expression into Eq. (7), it proceeded to integrate and it is possible to obtain an expression to the atmospheric pressure on the height:

$$p(y) = P_0 e^{\left(-755.38 + \frac{4.774 \cdot 10^9}{6.32 \times 10^6 + (y - y_0)}\right)} \quad (14)$$

Fig. 1 Theoretical and experimental graphics of the atmospheric pressure vs. height Resnick, R., Halliday, D., Krane, K. "Física".

Table 1 Value comparison between the model results and real measure from the different sounding.

12/08/201	Pres. (mb)	Altura (m)	01/01/2010	Pres. (mb)	Altura (m)	29/09/2009	Pres. (mb)	Altura (m)	23/03/2010	Pres. (mb)	Altura (m)
Presion	Modelo	Real	Modelo	Real	Modelo	Real	Modelo	Real	Modelo	Real	Modelo
939	939	704	933	933	704	930	930	704	948	948	704
929	929	792	925	925	778	925	924	752	936	936	806
925	925	828	924	924	787	920	919	798	931	931	850
923	923	846	896	892	1,079	910	909	892	925	926	902
880	881	1,233	859	857	1,410	850	848	1,475	895	896	1,172
850	852	1,514	850	848	1,500	792	790	2,071	850	853	1,590
821	824	1,791	836	834	1,641	762	760	2,394	824	828	1,839
728	735	2,747	740	739	2,658	700	698	3,101	709	719	3,016
700	709	3,056	700	699	3,119	653	661	3,558	700	711	3,115
607	621	4,163	609	612	4,235	576	580	4,660	625	641	3,975
528	547	5,225	528	535	5,352	500	507	5,790	598	616	4,310
460	485	6,238	441	455	6,714	460	469	6,430	500	524	5,670
434	452	6,820	410	427	7,250	424	436	7,046	416	446	7,010
400	397	7,916	400	418	7,430	400	414	7,480	400	432	7,290
362	367	8,562	300	328	9,450	344	364	8,567	333	370	8,580
322	342	9,170	289	319	9,704	334	355	8,780	326	364	8,726
289	314	9,876	250	284	10,670	300	324	9,530	300	340	9,300
269	297	10,350				297	322	9,600	276	317	9,875
217	254	11,648				283	309	9,928	250	293	10,550
180	242	12,074				250	280	10,770			
160	210	13,253				220	253	11,610			
129	178	14,633									
104	151	16,009									
88	133	17,069									

Eq. (14) represents the atmospheric pressure value to the height y in meters; also y_0 is the height of the place respect to the sea level.

The above equation was used in order to simulate

the atmospheric pressure at many heights to different place of Argentina and Chile in the day September 4 of the 2015; it was compared with real value of the sounding. These comparisons are shown in Fig. 2.

Fig. 2a Comparison of the Atmospheric pressure value on the height between real value measure for sounding and the model result. Córdoba (Argentina) September 14 of 2015.

Fig. 2b Comparison of the Atmospheric pressure value on the height between real value measure for sounding and the model result. Ezeiza, Bs. As. (Argentina) September 14 of 2015.

It is possible to observe from the graphics of Fig. 2 that the model result value is very close to the sounding measure.

2.3 Simulation of the Tropospheric Pressure Variation on the Height in Other Days in Many Places

In order to finish validating the model, it simulated the atmospheric pressure variation with the height of the troposphere of the different geographic regions.

To make it, the model had applied in different dates

Fig. 2c Comparison of the Atmospheric pressure value on the height between real value measure for sounding and the model result. Santiago. (Chile) September 14 of 2015.

in: Córdoba (Argentina), Buenos Aires (Argentina) y Santiago Chile.

The value obtained was compared with the sounding corresponding from the web site of the Wyoming University [3].

Then, the results of this procedure are presented at continuation to each day simulate.

2.3.1 October 9 of 2015

The value obtained to the application of the model to this day, and its comparison with the real value of the sounding at the 12.00 hours UTC is shown in Fig. 3.

Fig. 3a Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Córdoba (Argentina) October 9 of 2016.

Fig. 3b Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Buenos Aires. (Argentina) October 9 of 2016.

Fig. 3c Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Santiago (Chile) October 9 of 2016.

2.3.2 September 13 of 2016

Anew, if the model is applied to the situation of this date, it is obtained in the graphics of Fig. 4.

3. Synthesis and Conclusions

In light of the results to theoretical model, it is possible to mention the interesting conclusions:

- (1) The model gets an excellent approximation of the tropospheric air pressure value at any height from its measure value on surface.
- (2) It is possible to use the model results to replace the sounding with great reliability when it is necessary.

Fig. 4a Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Córdoba (Argentina) September 13 of 2016.

Fig. 4b Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Buenos Aires. (Argentina) September 13 of 2016.

Fig. 4c Comparison of the tropospheric pressure value on the height between real value measure for sounding and the model result. Santiago (Chile) September 13 of 2016.

(3) The power of the model lies in the fact that it can calculate the approximate tropospheric air pressure value to any height with only its measure on surface.

(4) Also it is possible to simulate the tropospheric pressure of the sounding at any time on any place.

References

- [1] Pérez, R. C. 2011. *Dinámica Atmosférica y los Procesos Tormentosos Severos*. LAMBERT Academic Publishing (LAP). GmbH & Co. pp. 17-9.
- [2] Rogers, R. R. 1977. *Física de las Nubes*. Ed. Reverté, 67-9.
- [3] <http://weather.uwyo.edu/upperair/sounding.html>.