A Study on Speech Breathing Mechanism of Zhuang Language*

LIU Li-jie, YANG Feng

College of Chinese Language and Culture, Jinan University, Guangzhou, China

This research studies the features of chest and abdominal breathing in Zhuang language. Two participants were recruited to record 30 news articles of Zhuang language. The chest and abdominal breathing signals as well as speech signal were recorded simultaneously. Programs for breathing analysis have been written to extract parameters such as breathing reset amplitude, time of inhale phase, and slope of exhale phase. The results show that the times of inhale and exhale reset of abdominal breathing are earlier than chest breathing, the breathing reset is related to prosodic boundaries.

Keywords: Chest and abdominal breathing, Speech production

Introduction

Breathing plays an important role in human speech activities. The study of breathing is an important aspect of speech production which has been discussed by many scholars. Lieberman (1967) raises Breath-Group Theory which holds that the breath-group is a basic unit of intonation production and perception. Ohala (1990) believes that an important function of the breathing system is to produce sub-glottal pressure and then the sound flow. It increases or decreases at the prosodic boundaries.

Wu et al (1989) has carried out researches on Chinese with signals of air flow and pressure for the first time in China. Tan et al (2008) and Shi et al (2010) have studied abdominal breathing reset of Mandarin reciting of various writing styles respectively, and made statistical analysis on different types of breathing reset. Yang et al (2013,2015) has explored mechanisms of chest and abdominal breathing.

This research compares breathing features of chest and abdominal breathing in Zhuang language through analyzing simultaneous signals of chest breathing, abdominal breathing and speech sound. The effects of chest breathing and abdominal breathing and their interrelationship were researched.

Method

Data Sampling

We recorded 30 news articles of Zhuang language. All the articles are recorded in the laboratory. The major equipment for recording is 16-channel Powerlab PL3516. This experiment collects signals of 4 channels using Chart 5. Channel 1 is speech signal collected through microphone and console mixer; Channel 2 is phonation signal collected through Electroglottography; Channel 3 is pectoral breathing signal collected by

* **Acknowledgements:** This study is supported by funds from National Social Sciences Funds [16ZDA211].

LIU Li-jie, Ph.D., College of Chinese Language and Culture, Jinan University.

YANG Feng, Associate Professor, College of Chinese Language and Culture, Jinan University..

Breathing stripe, MLT1132 sensor; Channel 4 is abdominal breathing signal also collected through Breathing stripe, MLT1132 sensor. All sample rates are 44kHz. Breathing stripe used for measuring chest breathing is fastened 10cm below the armpit, while breathing stripe used for measuring abdominal breathing is fastened above the naval. Devices used in recording are: microphone, Sony ECM-44B; console mixer, Behringer XENYX502; Electroglottography, Kay 6103; breathing strips, ADInstrument MLT1132.

Parameter Extraction

In order to study simultaneously the signals of speech, phonation, chest breathing, and abdominal breathing, a data analysis platform was built in Matlab. As shown in Figure 1.

Figure 1. The interface of the data analyzing platform

In the interface of the data analyzing platform, there are five sub-windows in which five signals are displayed. The five signals, from top to bottom, are: (1) speech signal; (2) EGG signal; (3) chest breathing signal; (4) abdominal breathing; and (5) the sum of chest and abdominal breathing calculated breathing. On the right of interface, there are four function plots and in each of them, there are some functional buttons for text labeling and signal processing.

Figure 2. Definition of breathing parameters
(From top to bottom: chest breathing , abdominal breathing)

The definition of breathing parameters is shown in Figure 2. The horizontal axis is time measured in seconds, while the vertical axis is the amplitude of breathing. Above is the signal of chest breathing and below the abdominal breathing. Rising curve indicates inhale and falling curve exhale. A, B, and C are inhale onset

time, breathing onset time, and exhale end time respectively. The duration of inhale $TI = B - A$, duration of exhale $TE = C - B$. AI = inhale reset amplitude, AE = exhale reset amplitude. Other parameters, like the slope of inhale period, slope of exhale period, area of inhale phase, and area of breathing phase, can be measured with those parameters mentioned above. Other parameters are calculated by the analyzing platform. The parameters are saved as MAT type file to produce breathing parameters in Microsoft Excel for statistical analysis.

Result

The Effect between Chest and Abdominal Breathing in Speechless Natural Breathing

In speechless natural breathing, chest breathing is similar to abdominal breathing. The lengths of inhale phase and exhale phase are almost the same. The upper column of Figure 3 indicates chest breathing, while the column below indicates abdominal breathing. In speechless natural breathing, the amplitude of chest breathing is comparatively small, while the abdominal breathing is large. Both are obviously periodical with the inhale and exhale phase almost equal.

Figure 3. The chest and abdominal breathing in speechless natural breathing

The Features of Chest and Abdominal Breathing in Zhuang Language

There is usually a primary respiratory reset and a number of secondary and tertiary respiratory resets. As shown in figure 4, the peak of respiratory replacement can be divided into three categories: A is first class breath, and respiratory amplitude is 0.96; B is secondary breathing, and the resetting amplitude is 0.78. C is a three-stage respiratory reset with a respiratory rate of 0.35.

Figure 4. Abdominal breathing in Zhuang language

There is a correlation between chest and abdomen breathing and rhythm level. The first or second level of chest and abdominal breathing resets is corresponding to prosodic sentence. The three-stage breathing resets is corresponding to prosodic phrases, and the small amplitude of breath fluctuation is related to prosodic words. As shown in figure 5.

Figure 5. The chest and abdominal breathing in Zhuang language

The patterns of chest and abdominal breathing are similar. As shown in Figure 6, the onset times of sound and chest breathing overlap, that is, the chest is in the extended state when reading. The times of inhale and exhale reset of abdominal breathing are earlier than chest breathing. Sound begins after the exhale phase of abdominal breathing the curve of which falls slightly. This shows the continuous and tender contraction of abdominal muscle and diaphragm.

Figure 6. The relationship among chest breathing, abdominal breathing and sound

Conclusion

This research makes use of chest and abdominal breathing signals to study the features of chest and abdominal breathing in Zhuang language. Computer programs for breathing analysis have been written to extract parameters such as breathing reset amplitude, time of inhale phase, and slope of exhale phase. The result shows that: the times of inhale and exhale reset of abdominal breathing are earlier than chest breathing, the breathing reset is related to prosodic boundaries.

References

- Baken, R. J., & Cavallo, S. A., & Weissman, K. L. (1979). Chest wall movements prior to phonation. *Journal of Speech and Hearing Research*, 22, 862-872.
- Hixon, T. J., Goldman, M. D., & Mead, J. (1973). Kinematics of the chest wall during speech production: Volume displacements of the rib cage, abdomen, and lung. *Journal of Speech and Hearing Research*, 19, 297-356.
- Ladefoged, P., & Loeb, G. (2002). Preliminary studies on respiratory activity in speech. *UCLA Working Papers in Phonetics*, 101, 50-60.
- Liberman, P. (1967). *Intonation, perception, and language*. Cambridge, Massachusetts: The MIT Press.
- Ohala, J. J. (1990). Respiratory activity in speech. In W. J. Hardcastle & A. Marchal (Eds.), *Speech Production and Speech Modelling* (pp. 23-53). Dordrecht: Kluwer Academic Publishers.
- SHI, F., ZHANG, J., Bai, X., et al. (2010). Intonation and respiration: A preliminary analysis. *Journal of Chinese Linguistics*, 38(2), 323-335.
- TAN, J. J., LI, Y. H., & KONG, J. P. (2008). Breathing-reset when reading literature in mandarin. *Journal of Tsinghua University (Science and Technology)*, 4, 613-620.

WU, Z. J., & LIN, M. C. (1989). *A prime of experimental phonetics* (pp. 33-34). Beijing: Higher Education Press.

YANG, F. (2015). A study on the features of chest and abdominal breathing between reciting and chanting Chinese poetry. *Journal Of Chinese Linguistics*, 43(1B), 399-410.

YANG, F., HOU, X. Q., & KONG, J. P. (2013). The chest and belly breathing control in speech production. *Journal of Tsinghua University(Science and Technology)*, 6, 852-855.